

(G)

1972

Birds seen Around  
Ramnad 20 K.M  
and  
Kanchirankulam  
Rameshvaram Island

1. Periakannai
2. Devipattanam
3. Sethukarai
4. Kavanoor
5. Uttarakosamangai
6. Periapattanam
7. Vaigai Tharavai
8. Jhekku Tharavai
9. Sakkarai kottai Kaymas



Birds Seen From 1st January 1972  
in and around 15 K.M. of Ramnadi.

1. Flamingo (about-400 Kaumoor Kannmai)  
on 1st Jan 1971 and T. Jan 71.  
hunters told we can see them even  
few K.M. N. of 15.

- |                |                |                         |
|----------------|----------------|-------------------------|
| 2. Crow        | 5. Sparrow     | 8. Brahmany Kite        |
| 3. Jungle Crow | 6. King Crow   | 9. White headed Babbler |
| 4. Myna        | 7. Pariah Kite | 10. Cattle Egret-       |

- |                 |                               |                   |
|-----------------|-------------------------------|-------------------|
| 11. Small Egret | 14. White breasted Kingfisher | 17. Indian Robin  |
| 12. Great Egret | 15. Koel                      | 18. Painted Stork |
| 13. Paddy Bird  | 16. Crested Cuckoo            | 19. Night heron   |

- |                    |                 |                         |
|--------------------|-----------------|-------------------------|
| 20. Partridge Grey | 36. Roller      | 39. - Dove              |
| 21. Indian Shit    | 37. Palm Swift  | 40. Ashy Swallow Shrike |
| 22. Green Shank    | 38. Rock Pigeon | 41. Purple Sunbird      |

- |                   |                         |                    |
|-------------------|-------------------------|--------------------|
| 23. Common Plover | 42. Pure Rumped S. Bird | 45. Jungle Babbler |
| 24. Golden Plover | 43. Green Parakeet      | 46. Tree Pipit     |
| 25. Pintail Snipe | 44. Brahmany Myna       | 47. Nightingale    |

- |                      |                           |
|----------------------|---------------------------|
| 26. Grey Heron       | 48. Bay Backed Shrike     |
| 27. Swallow          | 49. Blue Tailed Bee Eater |
| 28. Golden Oriole    | 50. Common Bee Eater.     |
| 29. Pied Harrier     | 51                        |
| 30. Pale Harrier     | 52                        |
| 31. Merlin           | 53                        |
| 32. Baya Weaver      | 54                        |
| 33. Zebra            | 55                        |
| 34. Peacock          | 56                        |
| 35. L. Ringed Plover |                           |



13.1.1972 / Kavanoor

To day morning I went by cycle upto 5 K.M. The water in the Big Kannmai is decreasing. Shallow waters standing in the Panchai fields is still there.

As usual I met the Grey Partridges on the road. The shrike was also there. The nest of the Brahming Kite was almost completed. A Tern (probably <sup>Whiskered</sup> ~~A~~ Castroan Tern) ~~catches~~ carrying its prey fall on the prey immediately it fell down from its beak before it ~~catch~~ drops a few inches. This happened thrice. Open billed Storks are numerous. Only few <sup>Grey</sup> Herons are seen. Black Stints were also seen. The <sup>kestrel</sup> ~~Red Merlin~~ was on its favorite telegraph post. Bush larks were in gay moods and they are uttering there song fly high up for a few metres. <sup>An</sup> Yellow Throated Sparrow <sup>utter</sup> ~~sang~~ its creaching song without minding my watching. White Throated Munias and Spotted Munia ~~were~~ <sup>is</sup> also there. Few Brahming Mynas ~~with~~ <sup>in</sup> the



Company of Common Mynas were seen.

Little Ringed Plover, Common Plover

Black winged Stilt, Green Shank, Bar-

tailed Godwit were the few shore birds  
seen there. Red wattled Lap wing was  
seen first time in the Ramnad.

A noted feature is the  
arrival of some thousand small birds  
in a congregation flying from east to  
west over Peria Kanmai. They must be  
Plovers staying out of their night  
stay. Absence of Sunbirds, and other  
small birds are also noteworthy.

At least for few more weeks  
these spot should be watched and it is  
easy here to identify the birds than any  
other place.



13.1.1977 Thirupullani

In an effort to note large number of birds in a days birdwatch I went by bicycle about 10 K-m from Ramnad. But I am happy to note that Flamingo were all around Ramnad during winter. Near Bakkanai Kottai Kammai and also near Thirupullani I saw gatherings of Flamingos. But I am unable to near them. Spotted Billed Pelicans were also seen about a dozen on my way to Thirupullani. Heron, Open billed Storks, an immature Brahminkite head brown Red instead of white most probably the male bird also accompanying the young. I was able to watch the Richard's Pipit at close quarters. B. Billed Finch <sup>?</sup> Lark and Bush Lark were also there. Little ringed Plovers, Sand Plovers, Green shanks, Marsh Sandpipers



were also seen. A Bay backed Shrike  
was seen. Blue Tail Bee-Eater and  
Green Bee Eaters were very numerous.  
in number. Terns were also seen.

A pair of white scavenger vultures  
were seen.

A large gathering of Herons  
or Open billed storks about 200  
to 500 in number were seen near  
the flamingos.

I am unable to note any  
small birds that is sunbirds and  
the like there also. They might have  
gone in local migration.



16.1.1972

Kavaroor

By 3.30 I started by cycle and reached Kulathoor 10 K.M North of Ramnad. But the Tank at Kulathoor doesn't have any bird life. At Kavaroor Kanmai I was surprised by <sup>the large</sup> number of Cotton Teals and spotted Grey Duck. They may number around 10,000 thousand. Filmyingos numbering about 300 were also there. A small flock of Cormorants and other plovers were also there. On the way I met a pipit with lower mandible red in colour and deep markings which must be Richard's Pipit. Brown Shrike were also seen. The birds are not yet started to build nests at Kavaroor Tank. ~~Two~~ Some varieties of Sandpipers were also seen but they are not as numerous as seen on 13.1.1971, morning.



21.1.72 Madurai Road

In the morning I went by walk for about 3 k.m. in the Madurai Road. A Pair of Pigeons was on the road side and they are very much at home even though I approached them. Warblers were flying here and there in the paddy fields. They were uttering their usual song. Three variety of warblers were seen.

21.1.72 Evening In the evening I went with U.R. to Shekka Tharavai by cycle on the way the cycle punctured. We were not able to see anything except ~~few~~ L. Ringed Plovers and few water birds. The villagers told me that Flamingos and Pelicans ~~were~~ visiting there in the early mornings. Whiskered Terns, Whistling Teals, Pintail Garganey were seen in flight. A new bird brown in colour about the size of Bulbul + were seen. Heron and Paddy Birds Egrets Painted Stork were also seen. Dromys ~~were~~ many in numbers on the road side. Blue tailed Bee Eaters were also seen. There with Green common Bee eaters.



23. 1. 72

09<sup>20</sup>30025 K.M. South East of  
Ramnad Railway Station. Rice fields-swamp -  
Sandy fields with Paddy grown. 6.00 A.M.

25 Pelicans ~~stare~~ <sup>were</sup> sitting in the shallow  
canal with slow movements.

10 to 12 Storks were also there.

200 to 500 Little Ringed Plovers.

One Eastern Grey Heron

One flamingo in flight

20 to 50 Richard Pipit

1 pied Harrier

10-20 Brown headed Gulls.

1 Grey or Brown Shrike

5 to 10 Bush Larks

Snipes, Plovers, yellow throated Sparrows  
Cuckoo, Koel, Palm swifts, Blue Tailed Bee Eaters,  
Drongos, Prank Kites, Brahmung Kites, Roller,  
White Breasted Kingfisher, Paddy Bird, Small Egret,  
are all seen. Tern..



26.1.79 9.00 to 10.30 A.M. Kavanoor Thattu

I went up to Kavanoor Thattu in the hot sun. I was able to record the Dabchic. The Sandpipers were there. But due to bright sun I am not able to identify them. Egrets and Herons are not as numerous as they were when the cultivation was started.

28.1.79 6.00 to 8.00 A.M. Devipattanam Road

I went in the Devipattanam Road up 7 KM by cycle. The Grey Partridges are numerous. Few waders were also seen. In a single tree five birds (~~Grey~~ Black Cuckoo, Oriole, Babbler, Babbler were seen. No sign of new birds.

30.1.79 7.00 to 8.00 A.M. Travelers Bungalow

usual birds. Coppersmiths, Babbler, B and P. Kites. (Drongos singing beautifully) Black headed Cuckoo Shrikes are seen.

5 to 7.00 P.M. Sethukarai. nothing

was then great disappointment. Some Paddy birds and fifty Blue tailed Bee Eaters were there. The Boys here told sandpipers and Terns will be seen only in Avani.



3.2.1972 Shekka Tharavai (6.30-7.30)

By cycle I went up to Shekka Tharavai. I am able to locate Fleming's some hundreds in numbers. But I am able to reach only 500 Meters from them. A few crested finch larks, the usual solitary Heron other Phalaropes were there. The Pelicans were not there. Only one Pink Stork was there. Three geese in flight uttering 'Hon Hon' sound were also seen.

12.2.1972 Kavanoor 6.45 to 8.30

To day I went up to 7 K.m in the Kavanoor Road. There is no sign of Painted Storks and Pelicans Breeding in the Kavanoor Kammai. Tharavai and Siragi are numerous. Not even a single Painted Stork which bred here last was seen. Water level is very low in the Peria Kammai and Kavanoor Kammai.

✓ Brahmany kite laid two eggs and is sitting in the nest which it built earlier. Warblers in the paddy field are numerous. A Pale Harrier is seen flying very low.



13.2.72 7.00 A.M. 8.00 A.M. Peria Kannai

I went upto peria kannai by walk.  
Large flocks of Teals and Pintails were there.  
Green Shanks, Indian Blackwinged Stilts,  
Little Ringed Plover, Grebe were also present  
in small numbers. yet I am unable  
to identify the water birds.

In the evening myself and Ray  
went for a walk in the Kavanoor Road.  
By 6.40 a large flock of Teal numbering  
about two thousand flew from Peria Kan  
naito wards East making enormous  
noise which we mistake for a lorry  
approaching from behind. Two or three  
such flock flew towards East.

Indian Pipit and Richards Pipit  
were present. Striated warblers are numerous  
in the paddy fields.

In the evening a peculiar Eagle  
was seen circling over paddy fields with long  
tail and slim wings. underparts uniformly earth brown  
size = Pariah kite -



17.2.72 T.00 A.M 8.00 A.M Peria Kanmai.

So-day I went by bus and got down near 5 K.M. mark and walk back on the land to the Kanmai. I spotted ~~two~~ huge flocks of white birds in the southern and western tips very far away. They might be the flamingos. Shits were numerous in number. Sandpipers and Snipes were also seen. Jack Snipe or Pintail Snipe?. GreenShanks and Marsh Sandpipers were seen. For a first time I recorded a Indian Purple Moor hen. A pair of Painted Storks with red patch near the gap were seen. I noticed a Spotted Munia building its nest in Palmana Tree. A Sandpiper most probably Common Sandpiper uttering itee itee notes 10 notes in 5 seconds. Night heron was also seen. In an harvested paddy field a half a dozen Wagtails were seen. ~~Throat~~ neck breast and sides of ~~abdomen~~ yellow; above ashy grey tinged with yellow. size pied wagtail.



19.2.72: Periakammai

To-day for the First time I noticed two Painted Snipes under a Kattukaruvai bush. Black winged Slits are numerous. Two varieties of Shrikes (one Brown Shrike Southern Rufous. Rumped Shrike). Jack Snipe which I saw yesterday was still there to-day also. The ~~pink headed~~ <sup>Painted</sup> Storks are about six or seven. Pintails, Green Shanks Green Sandpipers Common Sandpiper Marsh Sandpipers, Wood Sandpipers Black Tailed Godwit, Little Ringed Plover were there.

The water level is decreasing daily and in fifteen days time I hope I can see numerous birds in the shallow waters which will attract many other species.



20.2.72: Devipattanam.

By 5.30 bus I reached Devipattanam by 5.50. In the bathing ghat there was no sign of bird life. When I walked one or two K.m. north near Muthuragunathapuram. Here in the swamps I saw many many varieties of winter visitors.

Indian Reef Heron about 25 in number was there. Curlews, Sandpipers Shanks were also there. Little ringed plovers were numerous. When walked further north I came across a dozen Curlews and a single Great Black-headed Gull. and <sup>may be fin tail</sup> some two hundered ducks all over Black in colour. A flock of Teals came over and floated in the sea.

Flycatchers and warblers are also in the dry zone near by.

A Kestrel (Probably Indian) was also there.

Paddy birds and Egrets were numerous.







1-3-1972

Peria Kanmai

To day morning I went upto Peria-Kanmai and even before I reach the tank heard continuous roaring noise surprised me. When I got up the tank bund I saw about hundred Flimingos in the knee deep water feeding some 25 Metres ~~from~~ <sup>Flimingos in</sup> the bund and I had my first look of <sup>in</sup> my life. They are making a lot of noise and their feathers on the back are rising up often due to wind or their action towards their mates I don't know. Some birds try to catch hold of the beaks of their mates. And their habit of feeding is wonderful. Some 120 Pleacans were also there. They are standing in closely knitted ~~packet~~ and when they suspect me they start flying very low only few feet above water one after other in a diagonal. The flimingo also flew for some distance. Stints are there in large numbers and they are flying here and there. I had an excellent view of a Night heron in full breeding plumage.



10.3.71 Peria Kannai + Kavoor. 630 69 104M

So day I went in the usual route with Prof Abraham and Krishnamoorthy. A gunner disturbed the birds. In the Peria Kannai Fleming's were in huge congregations and only to-day for the season I saw a large number of Pelicans about 800 in number. The Fleming's were also some were near thousand in number.

Yesterday I went up to Kavoor Kannai. The water there were almost dried up and Egrets, ~~and~~ Eastern herons, Paddy Birds, Bitterns and other birds were there in large numbers in the shallow waters. The reason for the birds not breeding in Kannai may be due to the fact that they will have some knowledge about the future condition of the water level in the Kannai.



10.3.71 4 to 7 P.M. Devipatnam Swamp.

By 3:30 P.M. we started by bus to Devipatnam. First it looks that our trip will end without much success. Via Raghunathapuram we entered the swamp portion. The sea was fortunately at low tides and the water edge is about 200 meters further away ~~than~~ compared to the position <sup>to my</sup> last visit.

Some two hundred ~~Sea~~ <sup>few</sup> Gulls (Brown headed, Black headed and Big Black headed Gulls) were seen. Eastern Reef heron one in Black Plumage few in white phase. Egrets were also seen. Some 20 curlews and Avocets were also there. But I am not in a position to identify other small sandpipers and plovers. Black tailed and Bar tailed Godwits we were able to identify. Stilt Stone Plovers and curlew Sandpipers were also there. I should pay a visit to that place. I should carry a note book with me. Green Shank Green Sandpipers were also seen. One should be patient to note each and every species.



11.3.1971 8.30 to 9.45 Kanchirankulam  
4 K.M West of Mudukulathur.

4.30 Bus to Paramankudi min 5.30 Bus to Mudukulathur. 6.20 Bus to Mudukulathur. arrived here by 7.25. Walked from bus stand to Kanchirankulam. 9.45 Bus to uttarakosamangai.

25 trees all Karuvellams in the tank provides nesting and roosting places for the birds. (Mostly ~~Painted~~ Painted Storks and Pelicans.) Painted Storks about 2000, about 300 breeding chicks were there. bill ~~white~~ black almost white. Some birds sitting in the nest. some birds building here nest. Pelicans also had chicks of one month old about 1000 in number, 200 breeding. Some yet bringing in sticks - started breeding in November - still going - water condition alarming. But the birds will be there up to May when all the chicks will grow up. People giving protection for the past twenty five years. The trees in very bad condition. Many people visiting - you may handle the chicks. Black ~~beaks~~ beaks ibis, one Spoonbill with Egrets also ~~breed~~ were also seen.



13.3.1972 6.00-7.45 A.M. Periakammal.

Near the vaikkal today I saw three Spoonbills which is a record for Ramanad. The Piontes of the wings were greyish black. One Black necked Ibis and one Painted stork and one Grey Heron and an open Billed Stork were also there. The Eastern <sup>Large</sup> Egrets were seen the bill yellow. - legs and feet toes all black. But not in breeding plumage. Some 5000 Teals flew over when one gunner sent out a shot. Flimingos and Pelicans were in large numbers as usual. Some Flimingos very far off are in red colour they may be Lesser Flamingo. Green shanks, spotted S.P., C. sand Pipers, Snipe, Stint, L. Ringed Plover were there. One HARRIER at a distance. Near 2. K.M in the Paddyfield two Cattle Egrets in breeding plumage were seen, others in ordinary condition were with them.



16.3.72 7.00 - 9.00 AM. Devipatnam Road.

I went up to 9 k.m. Metrus in the Devipatnam Road. and went 1 k.m. towards Attankarai. There is a Kanmai some hundred Painted Storks 10 or 15 Eastern Herons 255 Spoon bill 3-5 White ibis and a single Eastern Reef heron were feeding in the shallow waters which will dry up in a week or so. Egrets, Paddy Birds, some varieties of Sandpipers were also there. While returning I saw four harriers Montagu or Pale flying over paddy fields Swallows were ~~in~~ hundreds were sitting on Kattu Karuvai and they glittering new plumage. I saw four mynahs fighting for nearly five minutes and crow interfering in their fight. Black winged Kite and Brahmany Kite also fight with each other. Grey Partridges were making lot of noise and they were numerous in number.



16.3.72 4.00 to 5.30 P.M. Madurai Road Periakamai

By Bicycle I went up to 5 K.M in the Madurai Road. Swallows were numerous and they are in moult and in gatherings of 100 to 200. I saw some 20 <sup>such</sup> groups, ~~4 such~~ Some Swallows have wire <sup>in</sup> tails which are one to two and half inches in length.

The Black winged Stilts are numerous (some 500) near Southern Kalinga of Periakamai. I thought I left the place. In the middle of the water Pelicans, Flimingos and Teals were seen in large numbers.

A Caspian Tern in summer plumage and Whiskered Terns were seen. Caspian Tern makes 'krow' sound while flying. Many Brown headed Gull were <sup>seen</sup> flying and floating. Some attained summer plumage. One or two birds are still with head white. Sandpipers and Phalaropes were also there.

Again I saw a Harrier most probably Montagu's. Streaked Reed warbler and fly catcher were there.



17.3.72 4.30 to 6.30 P.M. Periakannai - the  
dry lands.

To day I went by cycle up 5 k.m and  
went 1 k.m west towards dry lands which  
were under green grams cultivation. I saw  
a Kestrel stand still in air 1 minute +  
and a HARRIER. 10 wagtails most probably  
~~white~~ grey with white edged tails and  
yellow underparts. I was able to see a  
Green shank in very close quarters which  
had small white spots all over the body.  
Two Painted partridges were also seen.  
Small Pipits and Larks are numerous.  
The Ashy Wren Warbler and Fan tailed  
Streaked Warblers were also seen in large  
numbers.

In the Periakannai fli.mingoes  
were not so numerous as found a week  
back



20.3.72 5.30 to 6.30 Sakarabkhai Kanmai  
Western Shore

By walk I went up to 4 km South of Rail  
way line. Few Brown headed Gulls, Little  
Ringed Plovers, K. Plovers Three GreenShanks  
were seen near the water edge. But in the  
centre of the lake huge flocks of Blacks  
headed Ibis about 500 in number were  
seen. By 6.15 they flew above the water in  
parties of 50 to 70 and went in various  
directions. White Necked Storks about  
100 in number were also seen. They stood  
in lines facing South - that is wind. Few  
water birds Teals and Cormorants were  
also seen in distances. Flamingos were also  
there. The white necked Storks which  
were not met before and the white  
necked Ibis and spoonbills were puzzling.  
I must investigate.



21.3.72 Peria Kanmai 7.00 to 8.00 A.M.

Water decreasing day by day.

200 to 300 flamingos, some 200 feet  
from ~~bank~~ bund

300 to 500 Plover for off.

Solitary <sup>Grey</sup> Herons and Egrets and  
small plovers are seen. Black winged  
slits were there. But the Plovers and  
sandpipers were less in number.

On the way back I saw half a  
dozen Wag Tails - throat and abdomen  
yellow - breast <sup>with</sup> grey band separating  
yellow of throat and abdomen. legs.  
Tail long with white outer feathers. Back  
Striped.

22.3.72 Sakkarikottai Kanmai 6.00 P.M. to 7.00

- So day I went by cycle upto 4 km  
on the Belthukarai Road. Only few birds  
were seen in the Sakkarikottai Kanmai  
Local bird catcher using nets went  
far deep into the Kanmai and probably  
the birds are afraid of them. Brown headed Gulls  
were seen here and there.



23.3.72 Sakaraikkottak Kammai 5.45-7.15  
A.M.

So day I started out by 5.30 and reached the bus stand to go to Selthukarai. But after learning that the bus will start only by 6.30 I walked up to 3 km and as the bus never turns up I cancelled the trip.

Only few birds Pintails (10), Herons (3), Gulls (15) were there. ~~Bats~~ in two kamvais there were young chicks of Brahming Kites. One nest contains three chicks which resembles Pochard kite in colour and in ~~the~~ ~~other~~ one only two chicks were there. They had much white spots on the body. Two barred owlets were preparing nest in a old kamvel tree. I saw a bird with a thin stick in its mouth.

Scrublands, Drongos, Myias were numerous

The absence of Blue tailed bee lators which were numerous in January is noticeable. Cattle, small and other egrets were numerous.



24.3.72 Periakannai 6.30 to 8.00 A.M.

By cycle went upto 5 k.m and  
returned via the Eastern bund of the Kanna.  
Green Shank, Little Ringed Plover, Spotted  
Sandpipers, Common Sandpipers were  
common.

Six Black Necked Ibis were  
seen in flight. \*122\*

50 Cormorants, 1800 Flemingoes  
in three parties, 1500 Pelicans (in three  
parties were seen \*222\*

10000 Teals stretched as a  
great wall in a row of fives were  
seen.

~~today~~ To days numbers  
were greater for my life. I had  
never seen such huge collections  
any were before. Kavanoor might may  
equal this.

Harriers were also seen.  
They are numerous during march.



25.3.72 Sathkarai Kottai Kammai 6.00 to 7.30  
A.M.

Sunny day. Lot of mist in the morning.

I went about 1 to 2 km after crossing Railway line in the western shallow side of the Kammai. To my surprise I was able to find 60 to 100

WHITE STROKS standing as ~~separated~~ parties. Some 300 to 400 Black necked

White Ibis were also there. I saw 4 spoon bills in

flights. Pelicans Flamingos were also

there. Lots of stints Plivers are there in the grass swamps. This is the ideal time

for bird watching in Ramnad. Some Ducks Pintail and Teal were also seen.

People still engage in catching Birds.

25.3.72 Sathukarai 5.30 to 6.30

Early I cycled upto Sathukarai. In the backwaters a curlew and eight Turn Stones were there. I should visit in the mornings.



26.3.72 Periakannai 4.30 to 6.00

Near the mill Pelicans were sitting in the kannai on a thitta (pile) in large numbers. Pelicans were further north. The caspian tern was not there. White Whiskered Tern and Gull were seen.

The swallows are still ~~here~~ around here. Some have wire in tails about 6 c.m. in length.

A Black winged Kite and two Pale Harriers and two female Harriers one underpart almost white with less rufous sparklings another much darker but rump predominantly white anyhow Harriers are numerous during March around Rannad.

Only two Painted Storks were seen. White storks were not seen.



30.3.72 Peria Kanmai 6.30 To 7.30

With P. Abraham and Krishnamoorti  
I went to Peria Kanmai by walk via the  
village and returned by Madurai Road.  
Some 200 pelicans were there. Since the  
Vaikai Dam was opened on 23.3.72  
there is an inflow of water into the  
kanmai and the villagers say that water  
will last for April and first two weeks of  
May. Besides Pelicans one or two Gulls  
and Whiskered Terns Cormorants were  
there. Common Sandpiper and Marsh  
Sandpiper were also seen there. A pair of  
Green sandpipers were seen.

I saw a White breasted Kingfisher  
feeding its small ones in the tree. The  
Brahmanykite chicks were not come out.  
Drongo probably abandoned its nest after  
some time.

Some 15 Cotton Teals were  
seen in the kanmai. They were flying  
uniformly and in glittering white  
plumage. Some Heron were there. The  
Golden Oriole is still around in abundance.



31.3.72 Devipattanam 5.00 to 7.00 P.M.

In the evening we went to Devipattanam and we were disappointed since the sea was in high tide. Only marsh and common sandpipers in the salt-pans were seen. Gulls and some birds were flying.

1.4.72 Sakaraikottai Kamrai 6.00-7.00

Today we went by walk in the Kilabbarai Road. Herons, stints, and Black necked Ibis were in large numbers. Ibis were some 500 in numbers. Stints also collected in large group consisting of some 50 in a group. The chicks of the Brahmany Kite came out of the nest and were sitting in the tree.


4.4.72 Sakaraikottai Kamrai. 6.00-8.00

Black Necked Ibis some 5000 in numbers were seen all over the Kamrai. Other birds are not seen. stints and marsh sandpipers were seen. Gull also were there.



5.4.72 To day I went by Shanthy Taxi  
to Madurai. Near Paramakudi some 300  
Cormorants flew from a tank and they  
were flying in 20's to 30's

diagonals like this



In the Madurai University area I saw a  
Red headed Merganser and some other birds.

7.4.72 Peria Kannai. 4.00 P.M.

The water level in the Periakannai  
raised considerably and there were no  
birds. Even the usual Gulls and Terns  
were also not there. The <sup>standing</sup> ~~standing~~ <sup>very</sup> ~~very~~ <sup>far</sup> ~~far~~ off. The Swallows were still  
around and they are in huge collection  
flying vigorously around. The Brahmany  
Kites were in large numbers.

|| Near the church In a Jamunna  
tree two Indian Reef Heron were building  
Nests with Little Egrets.



9.4.1972 Devipattanam 4.30 to 6.00.

With the principal I went to the Devipattanam swamp. Fortunately the water level was not high and I am able to see large flocks of stints and sandpipers. Few Egrets (large?) and other waders were there. ~~About~~ 10 snow white birds with prominent black bills most probably Crab plovers were sitting on a thicket. Stints were very numerous. Wood or Marsh Sandpipers were the only species outside the shore.

10.4.1972 Sakkaraikottai 6.30 to 7.30 A.M

The water level were very low and the water is not flowing in the Mathakus. They are going to let in water to-day.

Pelicans, Open bills, Egrets, Gulls, Spoon bills, Teals, Stints are in large numbers. The total being some 10000 (ten thousand).

I saw two chicks in the Dronges nest.



11.4.72 Sakkaraitkottai Kanmai 6.00 to 6.30 A.M.

The water is not yet released for this Kanmai. Some 200 Frelimingo's all in a line came from South-East and they are probably in two minds ~~whether~~ better to alight down or not. Finally they flew over my head without coming down ~~make~~ their beating of the wings making much noise towards Periakammai. Gulls flew to this Kanmai daily from Periakammai. Batches 50 to 60 came every morning and returning in the evening. Heron and White Ibis were also visiting.

12.4.72 Sakkaraitkottai Kanmai 5.45 to 6.15 P.M.

Except Gulls other birds are very few in numbers. 15 Frelimingo came from North East. The velocity of the wind is very high - about 40 K.M.P.H. It took nearly 15 minutes for the birds to cross over the Kanmai 2 K.M.

A Common Sandpiper and two Wood Sandpipers were also seen.

Stints are completely absent.



16.4.72 Sakkaraitottai Kanmai 6.20 to 7.20

Water was not released as expected to this Kanmai and the water is drying up fastly. Except Gulls, Egrets and few open bills no other birds were seen in far off mud flat with little water.

One Wood Sandpiper and one Green Sandpiper were the only migrants seen still staying here

The two chicks in the Drongo's nest were flickering their wings. When I approached the nest one Drongo flew like a Sky lark very high (at least fifty metres) straight. It may be an attraction to draw my attention.

The Indian Reef Heron which build their nests a few days back were not seen after that. Perhaps they might have abandoned the nest.

Yesterday some 15 Fainted Striks flew circling over my house



18.4.72 Sakkaraittai Kanmai. 6.00-6.30

The water is drying up fastly  
and the number of birds are increasing  
So unexpectedly I saw some  
5000 Brown headed and Black headed  
Gulls ~~gathering~~ took off from there and  
circling round ~~you~~ flying hither and there  
and at last they flew towards Peria  
kanmai. 50 Spoon bills also  
fly towards the same direction. 12  
Painted Storks, 2 Pelicans, 2 Herons  
fly towards the Kanmai.

19.4.72 Peria Kanmai - 6.30-7.30 A.m

Fleamingos - 300-500	and
Pintails(?) - 20-50	Pariah Kite &
Whiskered Tern 1	Brahming Kites.
Herons - 30-50	
Painted Storks 15-20	
Common Sandpiper 2	
Green Sandpiper - 1	



19.4.72 Peria Kannai 5-30 to 6-30 AM.

To-day I followed the Gulls numbering about 2000 from Sakkarattai Kannai by cycle and I found out that they roost in the Peria Kannai in the night in a "thitu". Two kinds of tern and one pair of Fishing Eagles and were also there. Some 200 <sup>(much dark above)</sup> herons and 100 Spoon bills and few Black necked Ibis were also seen. Flamingo were about 600 in number. Painted Storks, Pheasants, and Cormorants and few Pintails were also seen. While returning I saw a Shikra chasing a lizard and when compared to its size the bird I saw yesterday might be a Bushy? or Falcon. I saw One Blacknecked Ibis roosted in a tree near church inside.

23.4.72: Sakkarattai Kannai water dried up only Gulls and Egrets.